

Tom Barrett Mayor

Bevan K. Baker, FACHE Commissioner of Health

Joe'Mar Hooper, MPA
Health Department
Health Operations Administrator

www.milwaukee.gov/health

Frank P. Zeidler Municipal Building, 841 North Broadway, 3rd Floor, Milwaukee, WI 53202-3653

phone (414) 286-3521

fax (414) 286-5990

## Routine Food Reinspection #1

BAJ, INC. 12/3/2013
BRETT'S FARMHOUSE

7424 N 60th St Milwaukee,WI

The following list of violations of the Wisconsin Administrative Code as adopted by reference in the Milwaukee Code of Ordinances Chapter 68, and/or other City ordinance(s) must be corrected as soon as possible but not later than the date specified. A re-inspection fee may be assessed if the violation is not corrected by that date. An inspection fee may be charged for any repeat violations.

Fee Amount: \$213.00

## CDC Risk Code Factor Violation(s)

Code Number Description of Violation Correct By

CDC Risk Violation(s): 0

## **Good Retail Practice Violations(s)**

Code Number	Description of Violation	Correct By
3-501.14	Mac & cheese soup was at 48 degrees F and taco meat was at 58 degrees F for an unknown amount of time. Food handler discarded both items. Potentially hazardous food must be cooled from 135 to 41 degrees in less than 6 hours provided the food is cooled from 135 to 70 degrees in the first 2 hours. (Repeat violation)	11/28/2013
5-103.11	There was no cold water available in the men's restroom. Provide an adequate supply of cold water.	11/28/2013

**Good Practice Violation(s):** 2

**Total Violations:** 2

Notes:

Est. # Page 1 of 2



Tom Barrett Mayor

Bevan K. Baker, FACHE Commissioner of Health

Joe'Mar Hooper, MPA
Health Department
Health Operations Administrator

www.milwaukee.gov/health

Frank P. Zeidler Municipal Building, 841 North Broadway, 3rd Floor, Milwaukee, WI 53202-3653 phone

phone (414) 286-3521

fax (414) 286-5990

The kitchen cooler was cold holding at about 44-45 degree F and there was condensate dripping inside from the top of the unit. All potentially hazardous food items were transferred to a working cooler. An order for repair of the cooler will be written on a special.

On 12/3/2013, I served these orders upon BAJ, INC. by leaving this report with

Inspector Signature (Inspector ID:96)

**Operator Signature** 

Brunda Fritable